



Allegheny County Health Department

Food Safety Program

3901 Penn Ave,
Pittsburgh, PA 15224

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 1671	Client Name: Bethel Bakery	Inspection Date: 10/15/2014
Address: 5200 Brightwood Road	State: PA Zip: 15102	Purpose: Initial
City: Bethel Park	Inspector: Eichenlaub, Edward	Permit Exp. Date: 06/30/2020
Municipality: Bethel Park	Re-Inspection Date:	Priority Code: 1
Category Code: 117-Bakery		
Re-Inspection: No - Inspector		

Food Safety Assessment Categories	◆	Assessment Status					Violation Risk		
		S	NO	NA	V	High	Med.	Low	
1 Food Source/Condition		x							
2 Cooking Temperatures #		x							
3 Consumer Advisory		x							
4 Reheating Temperatures #				x					
5 Cooling Food #		x							
6 Hot Holding Temperatures #				x					
7 Cold Holding Temperatures #		x							
8 Facilities to Maintain Temperature		x							
9 Date Marking of Food		x							
10 Probe-Type Thermometers				x					
11 Cross-Contamination Prevention #	x								
12 Employee Health #		x							
13 Employee Personal Hygiene #		x							
14 Cleaning and Sanitization #	x								
15 Water Supply		x							
16 Waste Water Disposal		x							
17 Plumbing		x							
18 Handwashing Facilities		x							
19 Pest Management #		x							
20 Toxic Items		x							
21 Certified Food Protection Manager	x								
22 Demonstration of Knowledge		x							
23 Contamination Prevention - Food, Utensils and Equipment		x							
24 Fabrication, Design, Installation and Maintenance					x			x	
25 Toilet Room		x							
TOTAL	3	18	0	3	1	0	0	1	

General Sanitation	◆	Assessment Status					Violation Risk		
		S	NO	NA	V	High	Med.	Low	
26 Garbage and Refuse					x			x	
27 Floors		x							
28 Walls and ceilings		x							
29 Lighting		x							
30 Ventilation		x							
31 Dressing rooms and Locker rooms		x							
32 General Premises		x							
33 Administrative		x							
TOTAL	0	7	0	0	1	0	0	1	

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional

S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program

3901 Penn Ave,
Pittsburgh, PA 15224

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: Eichenlaub, Edward
Placarding: Inspected & Permitted
Start Time: 11:00:00 AM
End Time: 12:55:00 PM
Balance Amount: \$0.00
Contact: John S Walsh
Phone: (412) 835-6658

Violation: 24 Fabrication, Design, Installation and Maintenance

Comments: Bottom seal of decorator's walk-in cooler torn.
Ice build-up in new walk-in freezer. (New door needs adjustment).

Food Code Section(s): 309

Corrective Action: Repair / replace equipment

Violation: 26 Garbage and Refuse

Comments: *LOW RISK*
One dumpster lid open. Refuse in rear of building,

Food Code Section(s): 318

Corrective Action: Keep lids closed

Corrective Action: Clean ground and surrounding area

Other Assessment observations and comments:

Exceptional Observations:

11 Cross-Contamination Prevention

- * Procedures are established and observed for safe handling and storage of raw animal products and other foods
- * No Cross-contamination and no food storage violations
- * Designated areas of coolers, or separate coolers, are used for different types of foods
- * Separate, designated cutting boards are used for different foods
- * No other food storage violations

Comments:

14 Cleaning and Sanitization

- * Observance, or evidence of proper sanitizing procedures
- * Documentation of proper operation of dish washing machine or use of three bowl sink/ 30 days of records available
- * Documentation of sanitization of in-use equipment/ 30 days of records available

Comments:

21 Certified Food Protection Manager

- * Certified Manager present with documentation
- * No Major risk factor violations
- * High percentage employees that are present are certified
- * Successful interviews of Certified Manager and key employees
- * In-house training, that includes wait staff, is held and documented

Comments: