



# Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite #210,  
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

**Client ID:** 200210170003 **Client Name:** Qdoba Mexican Grill

**Address:** 3712 Forbes Avenue

**City:** Pittsburgh

**State:** PA **Zip:** 15213

**Municipality:** Pittsburgh-104

**Inspector:** Castello, Katherine

**Inspection Date:** 01/17/2018

**Purpose:** Reinspection

**Permit Exp. Date:** 10/31/2018

**Category Code:** 202-Chain Restaurant with Liquor

**Priority Code:** H

**Re-Inspection:** No - Inspector

**Re-Inspection Date:**

**Class:**

Food Safety Assessment Categories		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
1 Food Source/Condition									
2 Cooking Temperatures #									
3 Consumer Advisory									
4 Reheating Temperatures #									
5 Cooling Food #									
6 Hot Holding Temperatures #									
7 Cold Holding Temperatures #									
8 Facilities to Maintain Temperature									
9 Date Marking of Food									
10 Probe-Type Thermometers									
11 Cross-Contamination Prevention #									
12 Employee Health #									
13 Employee Personal Hygiene #									
14 Cleaning and Sanitization #					x				x
15 Water Supply									
16 Waste Water Disposal									
17 Plumbing									
18 Handwashing Facilities									
19 Pest Management #					x				x
20 Toxic Items									
21 Certified Food Protection Manager									
22 Demonstration of Knowledge									
23 Contamination Prevention - Food, Utensils and Equipment									
24 Fabrication, Design, Installation and Maintenance		x							
25 Toilet Room									
		0	1	0	0	2	0	0	2

General Sanitation		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
26 Garbage and Refuse									
27 Floors					x				x
28 Walls and ceilings									
29 Lighting									
30 Ventilation									
31 Dressing rooms and Locker rooms									
32 General Premises									
33 Administrative									
		0	0	0	0	1	0	0	1
		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low



# Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite #210,  
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

1	Indoor Occupancy 25% or 50% with proof of satisfying PA Self-ce								
1	Indoor occupancy (25%) #								
2	Table Service Only and Tables 6-Foot Apart #								
3	Closed bar seating #								
4	Face coverings Worn by staff #								
5	Table service only #								
6	Zero tobacco usage #								
7	Closed by 11:00 pm #								
		0	0	0	0	0	0	0	0

# U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional

S - Satisfactory

NO - Not Observed

NA - Not Applicable

V- Violation

### Inspection Details

**Inspector Name:** Castello, Katherine

**Balance Amount:** \$0.00

**Placarding:** Inspected & Permitted

**Contact:** Chad Brooks

**Start Time:** 03:45:00 PM

**End Time:** 04:20:00 PM

**Phone:** (412) 802-7866

#### Violation:

#### 14 Cleaning and Sanitization

#### Comments:

\*LOW RISK\*

-Shelving in facility, especially in walk-in refrigerator, is collecting food debris. Walk-in shelving may also be beginning to rust.

**Food Code Section(s):** 312

#### Corrective Action:

Clean and maintain non-food-contact surfaces of equipment

#### Violation:

#### 19 Pest Management

#### Comments:

\*LOW RISK\*

-Old mouse droppings observed in corners at customer trash cans on lower and upper levels, in upstairs side storage room, along the perimeter of the taco shell holding box on the bottom shelf under the shell press area of the service line, in corner of service line near taco shells, near service line hand sink. Facility has made progress sealing holes in the basement. Continue to remove unused items. Keep every thing 6 inches off the floor. Ensure that traps are against the wall.

**Food Code Section(s):** 319

#### Corrective Action:

Eliminate pests by approved methods

#### Corrective Action:

Eliminate harborage area, food sources, and entry sites

#### Corrective Action:

Clean and maintain

#### Corrective Action:

Remove rodent droppings



# Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite #210,  
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

### Violation:

### Comments:

### **27 Floors**

\*LOW RISK\*

- Floor drains in facility, especially near ice machine are collecting trash and debris.
- Floor behind grease trap at 3 bowl sink has some old debris.
- Base coving is missing in a few locations, especially in the basement.

**Food Code Section(s):** 320

**Corrective Action:** Clean and maintain

**Corrective Action:** Repair or replace

**Corrective Action:** Seal, caulk juncture

**Other Assessment observations and comments:**

**Exceptional Observations:**